

Modeling human newspaper readers: The Fuzzy Believer approach

Submitted by [rene](#) [1] on Sun, 2012-10-28 10:17

- [Artificial Believer](#) [2]
- [Fuzzy Believer](#) [3]
- [Fuzzy Believer](#) [4]
- [Fuzzy NLP](#) [5]
- [Textual Entailment Recognition](#) [6]
- [Textual Entailment Recognition](#) [7]
- [Reported Speech](#) [8]
- [Fuzzy Sets & Systems](#) [9]
- [NLP](#) [10]

Title	Modeling human newspaper readers: The Fuzzy Believer approach
Publication Type	Journal Article
Year of Publication	2014
Authors	Krestel, R. [11], S. Bergler [12], and R. Witte [13]
Refereed Designation	Refereed
Journal	Natural Language Engineering
Volume	20
Issue	02
Pagination	261–288
Date Published	April 2014
Keywords	Artificial Believer [14], Fuzzy Believer [15], Fuzzy NLP [16], Textual Entailment Recognition [17]
Abstract	The growing number of publicly available information sources makes it impossible for individuals to keep track of all the various opinions on one topic. The goal of our Fuzzy Believer system presented in this paper is to extract and analyze statements of opinion from newspaper articles. Beliefs are modeled using the fuzzy set theory, applied after Natural Language Processing-based information extraction. The Fuzzy Believer models a human agent, deciding what statements to believe or reject based on a range of configurable strategies.
URL	http://journals.cambridge.org/repo_A91w9lhA [18]
DOI	10.1017/S1351324912000289 [19]
Copyright	Copyright © Cambridge University Press 2012.
Impact Factor	0.474 (2012)
History	Received: February 06, 2012 Revised: September 06, 2012 Accepted: September 07, 2012 Published Online: October 12, 2012
Attachment	Size
sample_fuzzy_believer.pdf [20]	313.8 KB



Except where otherwise noted, all original content on this site is copyright by its author and licensed under a [Creative Commons Attribution-Share Alike 2.5 Canada License](#).

Source URL (retrieved on 2026-01-08 05:51):

<https://www.semanticsoftware.info/biblio/modeling-human-newspaper-readers-fuzzy-believer-approach>

Links:

- [1] <https://www.semanticsoftware.info/users/rene>
- [2] <https://www.semanticsoftware.info/category/blog-tags/artificial-believer>
- [3] <https://www.semanticsoftware.info/category/project/fuzzy-believer>
- [4] <https://www.semanticsoftware.info/category/blog-tags/fuzzy-believer>
- [5] <https://www.semanticsoftware.info/category/blog-tags/fuzzy-nlp>
- [6] <https://www.semanticsoftware.info/category/blog-tags/textual-entailment-recognition>
- [7] <https://www.semanticsoftware.info/category/topic/nlp/textual-entailment-recognition>
- [8] <https://www.semanticsoftware.info/category/topic/nlp/reported-speech>
- [9] <https://www.semanticsoftware.info/category/topic/fuzzy-sets-systems>
- [10] <https://www.semanticsoftware.info/category/topic/nlp>
- [11] <https://www.semanticsoftware.info/biblio/author/6>
- [12] <https://www.semanticsoftware.info/biblio/author/7>
- [13] <https://www.semanticsoftware.info/biblio/author/1>
- [14] <https://www.semanticsoftware.info/biblio/keyword/74>
- [15] <https://www.semanticsoftware.info/biblio/keyword/72>
- [16] <https://www.semanticsoftware.info/biblio/keyword/73>
- [17] <https://www.semanticsoftware.info/biblio/keyword/75>
- [18] http://journals.cambridge.org/repo_A91w9lhA
- [19] <http://dx.doi.org/10.1017/S1351324912000289>
- [20] https://www.semanticsoftware.info/system/files/nle_fuzzy_believer.pdf