•	$\mathbf{D}$	 m	

_	0	_		
•		Uľ	υc	)га

toc\_collapse=0; Table of Contents

- <u>1. Font</u>
- 2. Special characters
- 3. Layout
- 4. Sub- and superscript
- <u>5. Logical structure</u>

Tustep in general is documented at <a href="http://www.zdv.uni-tuebingen.de/tustep/tustep\_eng.html">http://www.zdv.uni-tuebingen.de/tustep/tustep\_eng.html</a>. Here, we only provide an informal overview for users of the TUSTEP version of our <a href="https://www.zdv.uni-tuebingen.de/tustep/tustep\_eng.html">Durm Corpus</a>.

Generally, TUSTEP contains markup enclosed XML-like in <>, which is closed by a corresponding </> (just like in XML).

# 1. Font #/+ Start italic #/ End italic #k+ Start small caps #k End small caps

#s-

Begin emphasis by larger spacing

Published on semanticsoftware.info (https://www.semanticsoftware.info)


End emphasis by larger spacing

# <A+n> Font size. A is normal, +n larger (e.g. headings), -n smaller (e.g. footnotes). 2. Special characters #.> (French opening quotes) #.< (French closing quotes) -- (hyphen) %< ٨ s German "ß" 3. Layout Horizontal line. Sometimes with, sometimes without line number. \$0

at the beginning of a line: No "standard" line, i.e., a heading, horizontal separator etc.

<E+n>

Published on semanticsoftware.info (https://www.semanticsoftware.info)



Published on semanticsoftware.info (https://www.semanticsoftware.info)



Start of page n. Sometimes also written as <SEn>.

<P>

Paragraph, like in HTML

<-P>

Continuation of a paragraph on the next page



Except where otherwise noted, all original content on this site is copyright by its author and licensed under a <u>Creative Commons Attribution-Share Alike 2.5 Canada License</u>.

Source URL (retrieved on 2025-12-22 18:08): https://www.semanticsoftware.info/durm-tustep-markup